Toxicology Letters, 50 (1990) 355–357
Elsevier

AUTHOR INDEX VOL. 50 (1990)

Ageel, A.M., see Tariq, M., 349
Al-Meshal, I.A., see Tariq, M., 349
Arishima, K., see Shiota, K., 309
Atkins, L.M., see Gale, G.R., 85

Babich, H., Babich, Goldstein S.H., and Borenfreund, E., In vitro cyto- and genotoxicity of organomercurials to cells in culture, 143
Ban, M., see De Ceaurriz, J., 249
Baroncelli, S., Karrer, D. and Turillazzi, P.G., Embryotoxic evaluation of bis (tri-*n*-butyltin)-oxide (TBTO) in mice, 257
Basu, A. and Lazo, J.S., A hypothesis regarding the protective role of metallothioneins against the toxicity of DNA interactive anticancer drugs, 123
Bentley, P., see Sagelsdorff, P., 179
Bernard, J., see Kochman, S., 165
Bhargava, A.S., see Hofmeister, R., 9
Bieri, F., see Sagelsdorff, P., 179
Bompart, G. and Orfila, C., Cisplatin nephrotoxicity in lead-pretreated rats: enzymatic and morphological studies, 237
Borenfreund, E., see Babich, H., 143
Bryan, A.M., see Olafsson, P.G., 69
Burcham, P.C. and Harman, A.W., Mitochondrial dysfunction in paracetamol hepatotoxicity: in vitro studies in isolated mouse hepatocytes, 37

Carnovale, C.E., see Carrillo, M.C., 107
Carrillo, M.C., Carnovale, C.E. and Monti, J.A., Effect of aflatoxin B_1 treatment in vivo on the in vitro activity of hepatic and extrahepatic glutathione *S*-transferase, 107
Cazabat, A., see Kochman, S., 165
Chadwick, R.W., Chang, J., Gilligan, P.H., Forehand, L.R., Long, J.E. and Duffy, M.C., Effect of lindane on nitroreductase and dechlorinase enzyme activity in the gastrointestinal tract, 299
Chang, J., see Chadwick, R.W., 299
Chen, C.F., Lin, M.C. and Liu, H.M., Plasma electrolyte changes after ingestion of bile extract of the grass carp (*Ctenopharyngodon idellus*) in rats, 221
Cohen, M.D., see Owusu-Yaw, J., 327

Dalley, J.W., Gupta, P.K. and Hung, C.T., A physiological pharmacokinetic model describing the disposition of lead in the absence and presence of L-ascorbic acid in rats, 337
De Ceaurriz, J. and Ban, M., Role of γ-glutamyltranspeptidase and β-lyase in the nephrotoxicity of hexachloro-1,3-butadiene and methyl mercury in mice, 249
Dejima, Y., see Watanabe, C., 319
Dieter, H.H., see Muñoz, C., 263
Dollenmeier, P., see Sagelsdorff, P., 179
Duffy, M.C., see Chadwick, R.W., 299

Ebner, D., see Sagelsdorff, P., 179
Eeckhoutte, C., see Moré, J., 173

Fernando, S.Y., see Owusu-Yaw, J., 327
Forehand, L.R., see Chadwick, R.W., 299
Freeman, S.J., see Narburgh, L.J., 189

Gale, G.R., Smith, A.B., Atkins, L.M., Singh, P.K. and Jones, M.M., Schedule dependency of a cadmium-complexing dithiocarbamate analog in mice, 85
Galtier, P., see Moré, J., 173
Gilligan, P.H., see Chadwick, R.W., 299
Goldstein, S.H., see Babich, H., 143
Günzel, P., see Hofmeister, R., 9
Gupta, P.K., see Dalley, J.W., 337

Hacker, M.P., Commentary on the hypothesis regarding the protective role of metallothioneins against the toxicity of DNA interactive anticancer drugs, 121
Harman, A.W., see Burcham, P.C., 37
Hileman, F., see Leung, H.-W., 275
Himeno, S., see Urano, T., 159
Hirano, S., Tsukamoto, N. and Suzuki, K.T., Biochemical changes in the rat lung and liver following intratracheal instillation of cadmium

oxide, 97
Hirohata, T., see Sera, N., 289
Hofmeister, R., Bhargava, A.S. and Günzel, P., The use of urinary *N*-acetyl-β-D-glucosaminidase (NAG) for the detection of contrast-media-induced 'osmotic nephrosis' in rats, 9
Hughes, B.J., Jarvis, B.B. and Sharma, R.P., Effects of macrocyclic trichothecene congeners on the viability and mitogenesis of murine splenic lymphocytes, 57
Hung, C.T., see Dalley, J.W., 337

Ichiba, M., see Tomokuni, K., 137
Ijiri, I., see Tomita, M., 151
Imura, N., see Urano, T., 159
Iwasaki, A., see Urano, T., 159

Jackson, H.C. and Kitchen, I., Lack of effect of perinatal lead exposure on κ-opioid receptor function, 17
James, R.C., see Roberts, S.M., 283
Jarvis, B.B., see Hughes, B.J., 57
Johanson, G., see Liira, J., 195
Jones, M.M., see Gale, G.R., 85

Karrer, D., see Baroncelli, S., 257
Kelly, S.M., see Sagelsdorff, P., 179
Kitchen, I., see Jackson, H.C., 17
Kochman, S., Lefebvre, S., Bernard, J., Maujean, A., Cazabat, A., Lavaud, F. and Manfait, M., Toluene diisocyanate-induced conformational changes of serum albumin: a study on repeated inhalations in guinea-pigs, 165
Kondo, Y., see Tomita, M., 151
Kudo, N., Nakagawa, Y. and Waku, K., The effect of cadmium on the composition and metabolism of hepatic fatty acids in zinc-adequate and zinc-deficient rats, 203

Lavaud, F., see Kochman, S., 165
Lazo, J.S., see Basu, A., 123
Lefebvre, S., see Kochman, S., 165
Leung, H.-W., Wendling, J.M., Orth, R., Hileman, F. and Paustenbach, D.J., Relative distribution of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in human hepatic and adipose tissues, 275
Liira, J., Johanson, G. and Riihimäki, V., Dose-dependent kinetics of inhaled methylethylketone in man, 195
Lin, M.C., see Chen, C.F., 221
Liu, H.M., see Chen, C.F., 221
Long, J.E., see Chadwick, R.W., 299

Majak, W. and McDiarmid, R.E., Detection and quantitative determination of 3-nitropropionic acid in bovine urine, 213
Manfait, M., see Kochman, S., 165
Maujean, A., see Kochman, S., 165
McDiarmid, R.E., see Majak, W., 213
Monti, J.A., see Carrillo, M.C., 107
Moorman, M.A., see Pestka, J.J., 75
Moré, J., Galtier, P. and Eeckhoutte, C., Effect of low doses of a trichothecene mycotoxin (diacetoxyscirpenol) on rat gastric glycoproteins: a histochemical study, 173
Muñoz, C. and Dieter, H.H., Effect of methoxyethanol, cyclophosphamide and cadmium on metallothionein levels during prenatal development in the mouse, 263

Naganuma, A., see Urano, T., 159
Nakagawa, Y., see Kudo, N., 203
Narburgh, L.J., Turner, J. and Freeman, S.J., Evaluation of the teratogenic potential of the dopamine agonist bromocryptine in rats, 189

Ohba, T., see Watanabe, C., 319
Okuyama, T., see Tomita, M., 151
Olafsson, P.G., Bryan, A.M. and Stone, W., Quantitative risk assessment of polychlorodibenzofurans (PCDFs) released in PCB fires: use of high-resolution gas chromatography, 69
Orfila, C., see Bompart, G., 237
Orth, R., see Leung, H.-W., 275
Owusu-Yaw, J., Cohen, M.D., Fernando, S.Y. and Wei, C.I., An assessment of the genotoxicity of vanadium, 327

Paustenbach, D.J., see Leung, H.-W., 275
Pestka, J.J., Moorman, M.A. and Warner, R.L., Altered serum immunoglobulin response to model intestinal antigens during dietary exposure to vomitoxin (deoxynivalenol), 75
Pohjanvirta, R., TCDD resistance is inherited as an autosomal dominant trait in the rat, 49
Pounds, J.G., see Roberts, S.M., 283

Qureshi, S., see Tariq, M., 349

Riihimäki, V., see Liira, J., 195
Roberts, S.M., Pounds, J.G. and James, R.C., Cocaine toxicity in cultured rat hepatocytes, 283

Sagelsdorff, P., Dollenmeier, P., Ebner, D., Bieri, F., Kelly, S.M., Stäubli, W., Waechter, F. and Bentley, P., Lack of covalent binding to DNA of di-*n*-octyltin dichloride (DOTC) in vivo and in vitro, 179
Schoket, B. and Vincze, I., Dose-related induction of rat hepatic drug-metabolizing enzymes by diuron and chlorotoluron, two substituted phenylurea herbicides, 1
Sera, N., Tokiwa, H. and Hirohata, T., Induction of nitroarenes in cigarette smoke condensate treated with nitrate, 289
Sharma, R.P., see Hughes, B.J., 57
Shimosato, K., see Tomita, M., 151
Shiota, K., Uwabe, C., Yamamoto, M. and Arishima, K., Susceptibility to cyclophosphamide and thalidomide of fetal rat limb buds grafted in athymic (nude) mice, 309
Singh, P.K., see Gale, G.R., 85
Smith, A.B., see Gale, G.R., 85
Stäubli, W., see Sagelsdorff, P., 179
Stone, W., see Olafsson, P.G., 69
Strubelt, O., see Younes, M., 229
Suzuki, K.T., see Hirano, S., 97
Suzuki, T., see Watanabe, C., 319

Tariq, M., Qureshi, S., Ageel, A.M. and Al-Meshal, I.A., The induction of dominant lethal mutations upon chronic administration of khat (*Catha edulis*) in albino mice, 349
Tokiwa, H., see Sera, N., 289
Tomita, M., Okuyama, T., Shimosato, K., Kondo, Y. and Ijiri, I., Effect of ethanol on fatal carbon monoxide poisoning in awake rats, 151
Tomokuni, K. and Ichiba, M., Effect of lead on the activity of erythrocyte porphobilinogen deaminase in vivo and in vitro, 137
Tsukamoto, N., see Hirano, S., 97
Turillazzi, P.G., see Baroncelli, S., 257
Turner, J., see Narburgh, L.J., 189

Urano, T., Iwasaki, A., Himeno, S., Naganuma, A. and Imura, N., Absorption of methylmercury compounds from rat intestine, 159
Uwabe, C., see Shiota, K., 309

Vincze, I., see Schoket, B., 1

Waechter, F., see Sagelsdorff, P., 179
Waku, K., see Kudo, N., 203
Warner, R.L., see Pestka, J.J., 75
Watanabe, C., Suzuki, T., Ohba, T. and Dejima, Y., Transient hypothermia and hyperphagia induced by selenium and tellurium compounds in mice, 319
Wei, C.I., see Owusu-Yaw, J., 327
Wendling, J.M., see Leung, H.-W., 275

Yamamoto, M., see Shiota, K., 309
Younes, M. and Strubelt, O., Protection by exogenous glutathione against hypoxic and cyanide-induced damage to isolated perfused rat livers, 229

Zbinden, G., Effects of recombinant human alpha-interferon in a rodent cardiotoxicity model, 25

Toxicology Letters, 50 (1990) 359–360
Elsevier

SUBJECT INDEX VOL. 50 (1990)

N-Acetyl-β-D-glucosaminidase (NAG), 9
Acute CO fatal poisoning, 151
Aflatoxin B_1, 107
Alkylating agents, 123
Anticancer agents, 123
Antioxidant enzymes, 97
Aquatic toxicology, 143
Arrhythmia, 25
L-Ascorbic acid, 337

Blastogenesis, 57
Blood, 195
Bluegill sunfish, 143
Body temperature, 319

Cadmium, 85, 203, 263
Cadmium antagonists, 85
Cadmium oxide, 97
Cardiotoxicity, 25
Casein, 75
Cecum, 299
Cell viability, 57
Cholera toxin, 75
Cholestyramine, 221
Cigarette smoke, 289
Cisplatin, 237
Cocaine cytotoxicity, 283
CO-Hb saturation level, 151
Computer simulation, 195
Corpus luteum, 189
Cyanide, 229
Cyclophosphamide, 263, 309
Cytochrome P-450, 237
Cytochrome P-450-linked mono-oxygenases, 1

DAS, 173
Dechlorinase, 299
cis-Diamminedichloroplatinum, 123
1,3-Dinitropyrene, 289
Di-*n*-octyltindichloride, 179
Dioxin, 275
Disposition of lead, 337
Dithiocarbamate analogs, 85
Diuresis, 17
DNA binding, 179
Dominant lethals, 349
Dopaminergic, 189
Drug resistance, 123
Δ^6-Desaturase, 203

Electrocardiogram, 25
Embryotoxicity, 257, 309
Enterohepatic circulation, 159
Epoxide hydrolase, 1
Ergot alkaloid, 189
Erythrocyte, 137
Ethanol, 151
Excretion, 213

Fat, 275
Fatty acid composition, 203
Feeding behavior, 319
Fertility, 349
Forensic toxicology, 151
Fourier transform infrared spectroscopy, 165

γ-Glutamyltranspeptidase, 249
Glutathione, 97, 229, 237
Glutathione peroxidase, 237
Glutathione reductase, 237
Glutathione *S*-transferase, 1, 107, 237
Glycoproteins, 173
Grass carp bile, 221
Guinea-pig, 165

Hepatocyte primary culture, 283
Hepatotoxicity, 37, 229
Heterotransplantation, 309
Hexachloro-1,3-butadiene, 249
HPLC, 213
Human, 275
Hyperactivity, 17
Hyperphagia, 319
Hypothermia, 319
Hypoxia, 229

IgA, 75
IgG, 75

Immunotoxicology, 75
Inhalation exposure, 195
Inheritance of sensitivity, 49
Inhibition, cocaine cytotoxicity, 283
Inhibition, erythrocyte PGBD activity, 137
Interferon-alpha, 25
Intestinal absorption, 159
Isolated perfused liver, 229

Khat, 349
Kidney, 237

Lead, 17, 137, 237
Lead, disposition, 337
Lindane, 299
Lipid peroxidation, 237
Liquid–liquid extraction, 213
Liver, 97, 179, 275
Lung, 97
β-Lyase, 249
Lymphocytes, 57

Macrocyclic trichothecenes, 57
Man, 195
Maternal toxicity, 257
Metabolic saturation, 195
Metallothionein, 97, 123, 263
Methoxyethanol, 263
Methylethylketone, 195
Methylmercury, 159, 249
Micronucleus assay, 143
Mitochondria, 37
Morphology, 237
Mutagenicity, 289, 349
Mycotoxin, 75

Neomycin, 299
Neonates, 17
Nephrotoxicity, 249
Neutral red cytotoxicity assay, 143
Nitrite, 213
3-Nitropropanol, 213
1-Nitropyrene, 289
Nitroreductase, 299
Non-ionic contrast media, 9
Nude mouse, 309

Ontogeny, 17
κ-Opioid receptors, 17
Organotin compounds, 179
Osmotic nephrosis, 9

Paracetamol, 37
PCDFs, 69
Phenobarbital induction, cocaine cytotoxicity, 283
Physiological model, 195, 337
Plasma electrolytes, 221
Plasma, 213
Porphobilinogen deaminase, 137
Prenatal development, 263
Prolactin, 189

Rat limb bud, 309
Reduced thiols, 107
Reoxygenation, 229

Selenium compounds, 319
Serum albumin, 165
SK&F-525-A, 283
Small intestine, 299
Stomach, 173
Substituted urea herbicides, 1
Sulfhydryl compounds, 159

TBTO, 257
TCDD, 49, 275
Tellurium, 319
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin, see TCDD
Thalidomide, 309
Thymus, 179
Toluene diisocyanate, 165
Toxic congeners, 69
Toxic equivalents of TCDD, 69
Toxicokinetics, 195
Trichothecene, 75, 173

UDP-glucuronyltransferase, 1
Urinary enzymes, 9

Vanadium genotoxicity, 327
V79 Chinese hamster cells, 179

Zinc deficiency, 203